







## MANIFOLDS AND CHANGEOVERS. GAS DELIVERY SYSTEMS.

SERIES	STANDARD COMPONENTS	MAX INLET PRESSURE	MAX PROCESS FLOW RATE	BODY MATERIAL
<b>CR2500 SERIES</b> 	<ul style="list-style-type: none"> <li>One stainless steel diaphragm changeover regulator</li> </ul>	3000 psig / 206.84 bar	Cv: 0.08	SAE 360 Brass 316 Stainless Steel 6061-T6 Aluminum, Clear Anodized
<b>ACS2500 SERIES</b> 	<ul style="list-style-type: none"> <li>2 - Premier 2500 Series, single stage regulators</li> <li>Integrated relief valve</li> <li>Stainless steel mounting bracket</li> </ul>	3000 psig / 206.84 bar <i>dependent upon configuration</i>	Cv: 0.20	SAE 360 Brass SAE 360 Brass, Nickel Plated 6061-T6 Aluminum, Clear Anodized 316 Stainless Steel
<b>CS2300 SERIES</b> 	<ul style="list-style-type: none"> <li>1 - Premier changeover regulator</li> <li>1 - Premier 2300 Series, line regulator</li> <li>2 - Panel Mounting Nuts</li> </ul>	3000 psig / 206.84 bar <i>dependent upon configuration</i>	Cv: 0.08	SAE 360 Brass SAE 360 Brass, Nickel Plated 6061-T6 Aluminum, Clear Anodized 316 Stainless Steel
<b>CS2500 SERIES</b> 	<ul style="list-style-type: none"> <li>1 - Premier changeover regulator</li> <li>1 - Premier 2500 Series line regulator</li> <li>1 - Stainless Steel mounting Bracket with 4 - holes for 1/4" screws</li> <li>2 - Check valves in Stainless Steel or Brass</li> </ul>	3000 psig / 206.84 bar <i>dependent upon configuration</i>	Cv: 0.08	SAE 360 Brass SAE 360 Brass, Nickel Plated 6061-T6 Aluminum, Clear Anodized 316 Stainless Steel

## MANIFOLDS AND CHANGEOVERS. GAS DELIVERY SYSTEMS.

SERIES	STANDARD COMPONENTS	MAX INLET PRESSURE	MAX PROCESS FLOW RATE	BODY MATERIAL
<b>M2500 SERIES</b> 	<ul style="list-style-type: none"> <li>1 Premier 2500 Series, two stage regulator</li> <li>1 Stainless Steel mounting Bracket with 4 holes for 1/4" screws</li> <li>Check valve(s) in brass or stainless steel</li> </ul>	3000 psig / 206.84 bar  <i>dependent upon configuration</i>	3.5 SLPM	SAE 360 Brass  SAE 360 Brass, Nickel Plated  316 Stainless Steel
<b>M4500 SERIES</b> 	<ul style="list-style-type: none"> <li>1 Premier 4500 Series, two stage regulator</li> <li>1 Stainless Steel mounting Bracket with 4 holes for 1/4" screws</li> <li>Check valve(s) in brass or stainless steel</li> </ul>	3000 psig / 206.84 bar  <i>dependent upon configuration</i>	Cv: 0.08	SAE 360 Brass  SAE 360 Brass, Nickel Plated  6061-T6 Aluminum, 316 Stainless Steel

©2024 Premier Industries. All rights reserved.

The information in this brochure is intended for educational and informational purposes only. Our products are updated and improved continuously. Therefore, despite the great care taken to ensure the accuracy and integrity of the information herein, specifications are not to be construed as guarantees or warranties in regard to our products and their capabilities/applications. Premier Industries reserves the right the change, modify, and improve the products listed herein at any time without notice.